

STATE OF TEXAS
COUNTIES OF MIDLAND & ECTOR

Field notes of a survey of 156.65 acres of land situated within Section 1, Block 41, T-1-S, T. & P. RR. Co. Survey, Abstract No. 330, Midland County, Texas and Abstract No. 49, Ector County, Texas, said 156.65 acre tract consisting of those tracts of land described as Tracts 1, 2 & 3 in a deed to Deluxe Properties, Inc. recorded by Document Number 2007-18084 of the Official Public Records, Midland County, Texas and as Tracts 4 & 5 in a deed to Deluxe Properties, Inc. recorded by Document Number 2007-19365 of the Official Public Records, Midland County, Texas, said 156.65 acre tract being more particularly described by metes and bounds as follows:

Beginning at a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332 in W. Count Road No. 30 and the South line of said Section 1, said point being the Southeast corner of said Tract 4, for the Southeast corner of this described tract; from which the calculated Southeast corner of said Section 1 bears N 75° 17' 11" E, 746.16 feet;

Thence S 75° 17' 11" W, 2679.41 feet with W. County Road No. 30 along the South line of said Section 1 and Deluxe Properties, Inc. tracts, to a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332, for the Southwest corner of said Tract 3 and the Southwest corner of this described tract;

Thence N 14° 11' 24" W over and across said Section 1 along the West line of said Deluxe Properties, Inc. tracts, at 26.17 feet passing a 1/2" rebar rod (control monument) found for the Southeast corner of a tract of land described in a deed to Alan Shatto recorded in Volume 1867, Page 436 of the Official Public Records, Ector County, Texas; thence continuing along the same course for a total distance of 1597.85 feet, to a 1/2" rebar rod (control monument) found in the South line of a tract of land described in a deed to Deluxe Properties, Inc. recorded by Document Number 2014-20477 of the Official Public Records, Midland County, Texas, for a common corner between said Tract 5 and Shatto tract, for an angle corner of this described tract;

Thence N 75° 13' 25" E, 65.80 feet over and across said Section 1 along the common line between said Tract 5 and Deluxe Properties, Inc. tract, to a 1/2" rebar rod (control monument) found for an angle corner of this described tract;

Thence N 14° 07' 37" W, 981.59 feet over and across said Section 1 along the common line between said Tract 5 and Deluxe Properties, Inc. tract, to a 1/2" rebar rod (control monument) found for the Northwest corner of this described tract;

Thence N 30° 40' 48" E, 29.19 feet over and across said Section 1 along the common line between said Tract 5 and Deluxe Properties, Inc. tract, to a 1/2" rebar rod found with a survey cap stamped A.L.S. 6224 6332 (control monument) for an angle corner of this described tract;

Thence N 75° 26' 55" E, 1600.38 feet over and across said Section 1 along the common line between said Tract 5 and Deluxe Properties, Inc. tract, to a 1/2" rebar rod (control monument) found in the Southwest line of State Highway No. 158, for the Northeast corner of this described tract; from which a 1/2" rebar rod (control monument) found for the Northeast corner of said Deluxe Properties, Inc. tract bears N 59° 17' 13" W, 84.26 feet;

Thence S 59° 03' 24" E over and across said Section 1 along the common line between said Tract 5 and State Highway No. 158, at 1386.81 feet passing a 1/2" rebar rod (control monument) found for a common corner between said Tract 5 and Tract 2; thence continuing along the same course at 2291.44 feet passing a concrete right of way monument (control monument) found for reference; thence continuing along the same course at 2458.48 feet passing a 1/2" rebar rod (control monument) called to be a passing call in said Tract 2; thence continuing along the same course for a total distance of 2466.17 feet, to a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332 for a common corner between said Tract 2 and a tract of land described in a deed to Kent Distributors, Inc. recorded by Document Number 2009-7743 of the Official Public Records, Midland County, Texas, said point being located in the common line between said Section 1 and Section 6, Block 40, T-1-S, T. & P. RR. Co. Survey, Midland County, Texas, for an angle corner of this described tract; from which a concrete monument (control monument) found for an angle corner of said Kent Distributors, Inc. tract bears S 59° 03' 24" E, 224.58 feet;

Thence S 14° 02' 24" E, 185.78 feet along the common line between said Section 1 and Section 6, same being the common line between said Tract 2 and Kent Distributors, Inc. tract, to a 1/2" rebar rod found with a survey cap stamped Schumann Engineering (control monument) for the Northeast corner of a tract of land described in a deed to Filemon Lozoya recorded by Document Number 2013-10829 of the Official Public Records, Midland County, Texas, for an angle corner of this described tract;

Thence S 75° 28' 46" W, 736.78 feet over and across said Section 1 and Tract 2 along the North line of said Lozoya tract, to a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332, for the Northwest corner of said Lozoya tract, for an angle corner of this described tract;

Thence S 14° 29' 59" E, 544.94 feet over and across said Section 1 and Tract 2 along the West line of said Lozoya tract, to a 1/2" rebar rod found with a survey cap stamped Schumann Engineering (control monument), for the Southwest corner of said Lozoya tract, for an angle corner of this described tract;

Thence S 59° 28' 09" E, 70.69 feet over and across said Section 1 and Tract 2 along the North line of said Lozoya tract, to a mag nail (control monument), for an angle corner of said Lozoya tract, said point being located in the South line of said Tract 2, for an angle corner of this described tract; from which a concrete monument (control monument) found for a common corner between said Lozoya tract and previously mentioned Kent Distributors, Inc. tract bears N 75° 28' 46" E, 682.05 feet;

Thence S 75° 09' 34" W, 64.71 feet over and across said Section 1 along the South line of said Tract 2, to a 1/2" rebar rod (control monument) found in the East line of previously mentioned Tract 4, for the Southwest corner of said Tract 2 and an angle corner of this described tract;

Thence S 14° 42' 49" E, 53.08 feet over and across said Section 1 along the East line of said Tract 4, to the place of beginning and containing 156.65 acres of land, save and except 6.95 acres of land previously conveyed to QMC Industries, LLC recorded in by Document Number 2014-22730 of the Official Public Records, Midland County, Texas, leaving 149.70 acres of land.

Note: All bearings shown hereon were based on GPS Observations, NAD83 Texas Central 4203 (Epoch 2011).

SURVEYOR'S CERTIFICATION

I, Barney Dan Arnold, RPLS 6224, do hereby certify that these field notes accurately represent an on the ground survey performed under my direct supervision and conforms in all ways to the Texas Board of Professional Land Surveying Minimum Standards and that all corner monuments shown hereon were properly located/placed, in accordance with the Subdivision Regulations of Midland & Ector County, Texas.

Barney Dan Arnold, RPLS 6224
Arnold Land Surveying & Mapping
306 W. Main
Eastland, Tx. 76448
(254)629-8550 Office
(254)629-8524 Fax
danny.arnoldsurvey@gmail.com
TBPLS Firm No. 101885-00



Date: 03/10/2015

STATE OF TEXAS
COUNTIES OF MIDLAND & ECTOR
(ROADWAY DEDICATION)

Field notes of a survey of 3.44 acres of land situated within Section 1, Block 41, T-1-S, T. & P. RR. Co. Survey, Abstract No. 330, Midland County, Texas and Abstract No. 49, Ector County, Texas, said 3.44 acre tract being out of and part of those tracts of land described as Tract 3 in a deed to Deluxe Properties, Inc. recorded by Document Number 2007-18084 of the Official Public Records, Midland County, Texas and as Tract 4 in a deed to Deluxe Properties, Inc. recorded by Document Number 2007-19365 of the Official Public Records, Midland County, Texas, said 3.44 acre tract being more particularly described by metes and bounds as follows:

Beginning at a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332 in W. Count Road No. 30 and the South line of said Section 1, said point being the Southeast corner of said Tract 4, for the Southeast corner of this described tract; from which the calculated Southeast corner of said Section 1 bears N 75° 17' 11" E, 746.16 feet;

Thence S 75° 17' 11" W, 2679.41 feet with W. County Road No. 30 along the South line of said Section 1 and Deluxe Properties, Inc. tracts, to a 1/2" rebar rod set with a survey cap stamped A.L.S. 6224 6332, for the Southwest corner of said Tract 3 and the Southwest corner of this described tract;

Thence N 14° 11' 24" W over and across said Section 1 along the West line of said Deluxe Properties, Inc. tracts, at 26.17 feet passing a 1/2" rebar rod (control monument) found for the Southeast corner of a tract of land described in a deed to Alan Shatto recorded in Volume 1867, Page 436 of the Official Public Records, Ector County, Texas; thence continuing along the same course for a total distance of 60.08 feet, to a 1/2" rebar rod set with survey cap stamped A.L.S. 6224 6332 in the occupied North line of W. County Road No. 30, for the Northwest corner of this described tract;

Thence N 75° 27' 48" E, 2146.30 feet over and across said Section 1 and said Tracts 3 & 4 along the occupied North line of W. County Road No. 30, to a 1/2" rebar rod found with a survey cap stamped Schumann Engineering (control monument) for the Southwest corner of a tract of land described in a deed to QMC Industries, LLC recorded by Document Number 2014-22730 of the Official Public Records, Midland County, Texas, for angle corner of this described tract;

Thence N 75° 27' 48" E, 437.20 feet over and across said Section 1 and Tract 4 along the common line between said QMC Industries, LLC tract and W. County Road No. 30, to a 1/2" rebar rod found with a survey cap stamped Schumann Engineering (control monument), for an angle corner of this described tract;

Thence N 74° 42' 15" E, 95.37 feet over and across said Section 1 and Tract 4 along the occupied North line of said W. County Road No. 30, to a 1/2" rebar rod (control monument) found for the Southwest corner of a tract of land described as Tract 2 in a deed to Deluxe Properties, Inc. recorded by Document Number 2007-19365 of the Official Public Records, Midland County, Texas, said point being located in the East line of said Tract 4, for the Northeast corner of this described tract;

Thence S 14° 42' 49" E, 53.08 feet over and across said Section 1 and W. County Road No. 30 along the East line of said Tract 4, to the place of beginning and containing 3.44 acres of land.

Note: All bearings shown hereon were based on GPS Observations, NAD83 Texas Central 4203 (Epoch 2011).

SURVEYOR'S CERTIFICATION


I, Barney Dan Arnold, RPLS 6224, do hereby certify that these field notes accurately represent an on the ground survey performed under my direct supervision and conforms in all ways to the Texas Board of Professional Land Surveying Minimum Standards and that all corner monuments shown hereon were properly located/placed, in accordance with the Subdivision Regulations of Midland & Ector County, Texas.

Barney Dan Arnold, RPLS 6224
Arnold Land Surveying & Mapping
306 W. Main
Eastland, Tx. 76448
(254)629-8550 Office
(254)629-8524 Fax
danny.arnoldsurvey@gmail.com
TBPLS Firm No. 101885-00



Date: 03/10/2015

VICINITY MAP N.T.S.



- NOTES:
1. SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS MAY BE A VIOLATION OF COUNTY ORDINANCE AND STATE LAW AND SUBJECT TO FINES AND WITHHOLDING OF UTILITIES AND BUILDING PERMITS.
 2. APPROVAL OF A SITE PLAN BY THE COUNTY OF MIDLAND & ECTOR MAY BE REQUIRED BEFORE THE DEVELOPMENT OF ANY LOT AND BEFORE A BUILDING PERMIT MAY BE OBTAINED.
 3. BEARINGS, DISTANCES AND ACREAGE SHOWN HEREON ARE NAD83 (CORS96), LAMBERT GRID AND CONFORM TO THE TEXAS COORDINATE SYSTEM, "TEXAS CENTRAL ZONE", UTILIZING CITY OF MIDLAND GPS BASE STATION.

OWNER'S CERTIFICATE

THE STATE OF TEXAS
COUNTY OF ECTOR

WHEREAS Deluxe Properties, Inc. is the record owner of various tracts of land situated within Section 1, Block 41, T-1-S, T. & P. RR. Co. Survey, Midland & Ector County, Texas.

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

That Deluxe Properties, Inc., being the owner of the land shown on this plat designated as SELMAN POINT, SECTION 1, an Addition to Midland & Ector County, Texas and whose name is subscribed hereto, do hereby dedicate to the public use forever the streets, and easements shown thereon.

WITNESS my hand at Odessa, Texas, this
the 8th day of July, 2015.

Juanita Selman
By: Juanita Selman, Deluxe Properties, Inc.


ACKNOWLEDGEMENT

THE STATE OF TEXAS
COUNTY OF MIDLAND

Before me, the undersigned authority, a Notary Public in and for the State of Texas, on this day personally appeared Juanita Selman, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that she was acting as owner, and that she executed the same for the purposes and consideration therein expressed, and in the capacity therein stated. Given under my hand and seal of office this

the 8th day of July, 2015.

Jacqueline Leigh Mellen
NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS



SURVEYOR'S CERTIFICATE

KNOW ALL MEN BY THESE PRESENTS:

That I, Barney Dan Arnold, a Registered Professional Land Surveyor of the State of Texas, do hereby certify that this plat was prepared from an actual and accurate survey of the land and that the corner monuments shown thereon were properly located under my personal supervision, in accordance with the Subdivision Regulations of Ector County, Texas.

Barney Dan Arnold, R.P.L.S.
Registration Number - 6224



CERTIFICATE OF APPROVAL

This is to certify that the above and foregoing plat of "SELMAN POINT, SECTION 1", was approved by proper action of the Commissioners Court, Ector County, Texas on this

the 13th day of July, 2015.

COUNTY COMMISSIONER

Sam M. Reelfus
COUNTY JUDGE

FILED FOR RECORD ON THIS 23RD DAY OF JULY, 2015

AT 3:54 PM, RECORDED THIS 23RD DAY OF JULY, 2015,

AT 3:54 PM, IN CABINET B, PAGE 165, B,C,D, ECTOR COUNTY PLAT RECORDS.

Sandra Homay
COUNTY CLERK OF ECTOR COUNTY, TEXAS



OFFICE: (254)629-8550 FAX: (254)629-8524
EMAIL: danny.arnoldsurvey@gmail.com
TBPLS Firm No. 101885-00

BDA GF#NONE JOB# 2014-329

PLAT FILED FOR RECORD
MIDLAND COUNTY, TEXAS
NO. 2015-020111 CABINET B
DATE _____ PAGE _____

PLAT FILED FOR RECORD
ECTOR COUNTY, TEXAS
NO. 2015-020111 CABINET B
DATE July 23, 15 PAGE 165, B,C,D

SELMAN POINT,
SECTION 1
SHEET 2 OF 3

15294740

15294740

BLOCK 1 LINE TABLE		
LOT 1		
L7	N 75° 28' 41" E	263.38'
L8	S 14° 11' 24" E	284.09'
L9	S 75° 28' 41" W	263.38'
L10	N 14° 11' 24" W	284.09'
LOT 2		
L11	N 75° 28' 41" E	263.38'
L12	S 14° 11' 24" E	284.09'
L13	S 75° 28' 41" W	263.38'
L14	N 14° 11' 24" W	284.09'
LOT 3		
L15	N 30° 56' 36" E	210.87'
L16	S 59° 03' 24" E	400.00'
L17	S 30° 56' 36" W	209.38'
L18	S 75° 28' 41" W	283.24'
L19	N 14° 11' 24" W	284.09'
LOT 4		
L20	S 59° 03' 24" E	400.00'
L21	S 30° 56' 36" W	207.89'
L22	S 75° 28' 41" W	283.24'
L23	N 14° 11' 24" W	284.09'
L24	N 30° 56' 36" E	209.38'
LOT 5		
L25	S 75° 28' 41" W	283.24'
L26	N 14° 11' 24" W	284.09'
L27	N 75° 28' 41" E	283.24'
L28	S 14° 11' 24" E	284.09'
LOT 6		
L29	S 75° 28' 41" W	263.38'
L30	N 14° 11' 24" W	284.09'
L31	N 75° 28' 41" E	263.38'
L32	S 14° 11' 24" E	284.09'
LOT 7		
L33	S 75° 28' 41" W	263.38'
L34	N 14° 11' 24" W	284.09'
L35	N 75° 28' 41" E	263.38'
L36	S 14° 11' 24" E	284.09'

BLOCK 2 LINE TABLE		
LOT 1		
L37	S 59° 03' 24" E	884.28'
L38	S 14° 02' 24" E	185.78'
L39	S 75° 28' 46" W	736.78'
L40	N 14° 30' 32" W	60.15'
L41	S 75° 28' 41" W	30.18'
L42	N 14° 30' 32" W	610.14'
L43	N 30° 56' 36" E	207.89'

BLOCK 3 LINE TABLE		
LOT 1		
L44	N 75° 28' 41" E	347.91'
L45	S 14° 11' 24" E	343.02'
L46	S 75° 29' 26" W	347.91'
L47	N 14° 11' 24" W	342.95'
LOT 2		
L48	N 75° 28' 41" E	243.55'
L49	S 14° 11' 24" E	343.08'
L50	S 75° 29' 26" W	243.55'
L51	N 14° 11' 24" W	343.02'
LOT 3 (DRILL SITE)		
L52	N 75° 28' 41" E	201.15'
L53	S 14° 11' 24" E	343.12'
L54	S 75° 29' 26" W	201.15'
L55	N 14° 11' 24" W	343.08'
LOT 4		
L56	N 75° 28' 41" E	251.13'
L57	S 14° 11' 24" E	343.18'
L58	S 75° 29' 26" W	251.13'
L59	N 14° 11' 24" W	343.12'
LOT 5		
L60	N 75° 28' 41" E	347.92'
L61	S 14° 11' 24" E	343.25'
L62	S 75° 29' 26" W	347.92'
L63	N 14° 11' 24" W	343.18'
LOT 6		
L64	N 75° 28' 41" E	347.92'
L65	S 14° 11' 24" E	343.33'
L66	S 75° 29' 26" W	347.92'
L67	N 14° 11' 24" W	343.25'
LOT 7		
L68	N 75° 28' 41" E	950.48'
L69	S 14° 30' 03" E	605.09'
L70	S 74° 42' 15" W	95.37'
L71	N 30° 28' 38" E	70.70'
L72	N 14° 31' 37" W	263.26'
L73	N 14° 29' 38" W	313.52'
L74	S 75° 30' 25" W	482.30'
L75	S 14° 04' 16" E	313.66'
L76	S 75° 29' 26" W	407.46'
L77	N 14° 11' 24" W	343.33'
LOT 10		
L77	S 75° 27' 48" W	406.72'
L78	N 14° 11' 24" W	313.67'
L79	N 75° 29' 26" E	407.46'
L80	S 14° 03' 19" E	313.48'
LOT 11		
L81	S 75° 27' 48" W	347.92'
L82	N 14° 11' 24" W	313.83'
L83	N 75° 29' 26" E	347.92'
L84	S 14° 11' 24" E	313.67'
LOT 12		
L85	S 75° 27' 48" W	347.92'
L86	N 14° 11' 24" W	314.00'
L87	N 75° 29' 26" E	347.92'
L88	S 14° 11' 24" E	313.83'
LOT 13		
L89	S 75° 27' 48" W	347.92'
L90	N 14° 11' 24" W	314.16'
L91	N 75° 29' 26" E	347.92'
L92	S 14° 11' 24" E	314.00'
LOT 14		
L93	S 75° 27' 48" W	347.92'
L94	N 14° 11' 24" W	314.33'
L95	N 75° 29' 26" E	347.92'
L96	S 14° 11' 24" E	314.16'
LOT 15		
L97	S 75° 27' 48" W	347.91'
L98	N 14° 11' 24" W	314.50'
L99	N 75° 29' 26" E	347.91'
L100	S 14° 11' 24" E	314.33'

BLOCK 4 LINE TABLE		
LOT 1		
L102	N 75° 28' 41" E	347.91'
L103	S 14° 11' 24" E	305.08'
L104	S 75° 28' 41" W	347.91'
L105	N 14° 11' 24" W	305.08'
LOT 2		
L106	N 75° 28' 41" E	347.92'
L107	S 14° 11' 24" E	305.08'
L108	S 75° 28' 41" W	347.92'
L109	N 14° 11' 24" W	305.08'
LOT 3		
L110	N 75° 28' 41" E	347.92'
L111	S 14° 11' 24" E	305.08'
L112	S 75° 28' 41" W	347.92'
L113	N 14° 11' 24" W	305.08'
LOT 4		
L114	N 75° 28' 41" E	347.92'
L115	S 14° 11' 24" E	305.08'
L116	S 75° 28' 41" W	347.92'
L117	N 14° 11' 24" W	305.08'
LOT 5		
L118	N 75° 28' 41" E	347.92'
L119	S 14° 11' 24" E	305.08'
L120	S 75° 28' 41" W	347.92'
L121	N 14° 11' 24" W	305.08'
LOT 6		
L122	N 75° 28' 41" E	408.20'
L123	S 14° 11' 24" E	305.08'
L124	S 75° 28' 41" W	408.20'
L125	N 14° 11' 24" W	305.08'
LOT 7		
L126	N 75° 28' 41" E	508.70'
L127	S 14° 30' 32" E	305.07'
L128	S 75° 28' 41" W	510.40'
L129	N 14° 11' 24" W	305.08'
LOT 8		
L130	S 75° 28' 41" W	512.10'
L131	N 14° 11' 24" W	305.08'
L132	N 75° 28' 41" E	510.40'
L133	S 14° 30' 32" E	305.07'
LOT 9		
L134	S 75° 28' 41" W	408.20'
L135	N 14° 11' 24" W	305.08'
L136	N 75° 28' 41" E	408.20'
L137	S 14° 11' 24" E	305.08'
LOT 10		
L138	S 75° 28' 41" W	234.98'
L139	N 14° 11' 24" W	305.08'
L140	N 75° 28' 41" E	234.98'
L141	S 14° 11' 24" E	305.08'
LOT 11 (DRILL SITE)		
L142	S 75° 28' 41" W	153.54'
L143	N 14° 11' 24" W	305.08'
L144	N 75° 28' 41" E	153.54'
L145	S 14° 11' 24" E	305.08'
LOT 12		
L146	S 75° 28' 41" W	307.31'
L147	N 14° 11' 24" W	305.08'
L148	N 75° 28' 41" E	307.31'
L149	S 14° 11' 24" E	305.08'
LOT 13		
L150	S 75° 28' 41" W	347.92'
L151	N 14° 11' 24" W	305.08'
L152	N 75° 28' 41" E	347.92'
L153	S 14° 11' 24" E	305.08'
LOT 14		
L154	S 75° 28' 41" W	347.92'
L155	N 14° 11' 24" W	305.08'
L156	N 75° 28' 41" E	347.92'
L157	S 14° 11' 24" E	305.08'
LOT 15		
L158	S 75° 28' 41" W	347.91'
L159	N 14° 11' 24" W	305.08'
L160	N 75° 28' 41" E	347.91'
L161	S 14° 11' 24" E	305.08'

BLOCK 6 LINE TABLE		
LOT 1		
L162	N 75° 28' 41" E	281.79'
L163	S 14° 11' 24" E	284.09'
L164	S 75° 28' 41" W	282.10'
L165	N 14° 07' 37" W	284.09'
LOT 2		
L166	N 75° 28' 41" E	347.92'
L167	S 14° 11' 24" E	284.09'
L168	S 75° 28' 41" W	347.92'
L169	N 14° 11' 24" W	284.09'
LOT 3		
L170	N 75° 28' 41" E	347.92'
L171	S 14° 11' 24" E	284.09'
L172	S 75° 28' 41" W	347.92'
L173	N 14° 11' 24" W	284.09'
LOT 4		
L174	N 75° 28' 41" E	259.74'
L175	S 14° 11' 24" E	284.09'
L176	S 75° 28' 41" W	259.74'
L177	N 14° 11' 24" W	284.09'
LOT 5		
L178	N 75° 28' 41" E	259.74'
L179	S 14° 11' 24" E	284.09'
L180	S 75° 28' 41" W	259.74'
L181	N 14° 11' 24" W	284.09'
LOT 6		
L182	S 75° 28' 41" W	259.74'
L183	N 14° 11' 24" W	284.09'
L184	N 75° 28' 41" E	259.74'
L185	S 14° 11' 24" E	284.09'
LOT 7		
L186	S 75° 28' 41" W	259.74'
L187	N 14° 11' 24" W	284.09'
L188	N 75° 28' 41" E	259.74'
L189	S 14° 11' 24" E	284.09'
LOT 8		
L190	S 75° 28' 41" W	347.92'
L191	N 14° 11' 24" W	284.09'
L192	N 75° 28' 41" E	347.92'
L193	S 14° 11' 24" E	284.09'
LOT 9		
L194	S 75° 28' 41" W	347.92'
L195	N 14° 11' 24" W	284.09'
L196	N 75° 28' 41" E	347.92'
L197	S 14° 11' 24" E	284.09'
LOT 10 (DRILL SITE)		
L198	S 75° 28' 41" W	282.41'
L199	N 14° 07' 37" W	270.47'
L200	N 75° 28' 41" E	282.10'
L201	S 14° 11' 24" E	284.09'

BLOCK 7 LINE TABLE		
LOT 1		
L202	N 30° 40' 48" E	29.19'
L203	N 75° 28' 55" E	228.42'
L204	S 14° 11' 24" E	352.15'
L205	S 75° 28' 41" W	249.38'
L206	N 14° 07' 37" W	331.46'
LOT 2		
L207	N 75° 26' 55" E	249.38'
L208	S 14° 11' 24" E	352.28'
L209	S 75° 28' 41" W	249.38'
L210	N 14° 11' 24" W	352.15'
LOT 3		
L211	N 75° 26' 55" E	249.40'
L212	S 14° 11' 24" E	352.40'
L213	S 75° 28' 41" W	249.40'
L214	N 14° 11' 24" W	352.28'
LOT 4		
L215	S 75° 28' 41" W	249.40'
L216	N 14° 11' 24" W	352.40'
L217	N 75° 28' 41" E	249.40'
L218	S 14° 11' 24" E	352.40'
LOT 5		
L219	S 75° 28' 41" W	249.38'
L220	N 14° 11' 24" W	352.40'
L221	N 75° 28' 41" E	249.38'
L222	S 14° 11' 24" E	352.40'
LOT 6		
L223	S 75° 28' 41" W	249.77'
L224	N 14° 07' 37" W	352.41'
L225	N 75° 28' 41" E	249.38'
L226	S 14° 11' 24" E	352.40'

BLOCK 8 LINE TABLE		
LOT 1		
L227	N 75° 26' 55" E	249.52'
L228	S 14° 11' 24" E	352.53'
L229	S 75° 28' 41" W	249.52'
L230	N 14° 11' 24" W	352.40'
LOT 2		
L231	N 75° 26' 55" E	249.52'
L232	S 14° 11' 24" E	352.66'
L233	S 75° 28' 41" W	249.52'
L234	N 14° 11' 24" W	352.53'
LOT 3		
L235	N 75° 26' 55" E	249.50'
L236	S 14° 11' 24" E	352.79'
L237	S 75° 28' 41" W	249.50'
L238	N 14° 11' 24" W	352.66'
LOT 4		
L239	S 75° 28' 41" W	249.50'
L240	N 14° 11' 24" W	352.40'
L241	N 75° 28' 41" E	249.50'
L242	S 14° 11' 24" E	352.40'
LOT 5		
L243	S 75° 28' 41" W	249.52'
L244	N 14° 11' 24" W	352.40'
L245	N 75° 28' 41" E	249.52'
L246	S 14° 11' 24" E	352.40'
LOT 6		
L247	S 75° 28' 41" W	249.52'
L248	N 14° 11' 24" W	352.40'
L249	N 75° 28' 41" E	249.52'
L250	S 14° 11' 24" E	352.40'

BLOCK 9 LINE TABLE		
LOT 1		
L251	S 59° 03' 24" E	366.11'
L252	S 30° 56' 36" W	229.76'
L253	S 75° 28' 41" W	220.06'
L254	N 14° 11' 24" W	422.62'
L255	N 75° 28' 55" E	124.62'
LOT 2		
L256	S 59° 03' 24" E	415.78'
L257	S 30° 56' 36" W	210.87'
L258	S 75° 28' 41" W	306.71'
L259	N 14° 11' 24" W	229.13'
L260	N 30° 56' 36" E	229.76'
LOT 3 (DRILL SITE)		
L261	S 75° 28' 41" W	220.06'
L262	N 14° 11' 24" W	283.13'
L263	N 75° 28' 41" E	220.06'
L264	S 14° 11' 24" E	283.13'